10/532852

merce 21 Et a 200

From	the

INTERNATIONAL	OF A DOLLMIC	ATTTIODITY
TATTEDNATIONAL	VEAKL HING	AUTHURIT
DATEMANTIONAL	DE:11(C	

To:
ITOH, Tadahiko

32nd Floor, Yebisu Garden
Place Tower, 20-3, Ebisu
4-chome, Shibuya-ku, Tokyo
1506032
Japan

PCT

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

(PCT Rule 43bis.1)

12.1520%

Date of mailing (day/month/year)

FÓR FURTHER ACTION

14.12.2004

Applicant's or agent's file reference

R04158PCT

International filing date (day/month/year)

Priority date (day/month/year)

See paragraph 2 below

International application No. PCT/JP2004/013865

15.09.2004

17.09.2003

3B 3119

International Patent Classification (IPC) or both national classification and IPC Int.Cl ⁷ B65H 5/02

Applicant

RICOH COMPANY, LTD.

1.	This	opinion contains	s indications relating to the following items:		
	1	Box No. I	Basis of the opinion		
	$\overline{\sqcap}$	Box No. II	Priority		
		Box No. III	Non-establishment of opinion with regard to novelty, inventive step and industrial applicability		
		Box No. IV	Lack of unity of invention		
	~	Box No. V	Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement		
		Box No. VI	Certain documents cited		
		Box No. VII	Certain defects in the international application		
		Box No. VIII	Certain observations on the international application		
2.	FUR	THER ACTION			
	If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1bis(b) that written opinions of this International Searching Authority will not be so considered.				
	If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later.				
1	For further options, see Form PCT/ISA/220.				
3.	For t	further details, sec	e notes to Form PCT/ISA/220.		
<u> </u>					

Authorized officer

HASUI, Masayuki

Telephone No. +81-3-3581-1101 Ext.

3-4-3, Kasumigaseki, Chiyoda-ku, Tokyo 100-8915, Japan Form PCT/ISA/237 (cover sheet) (January 2004)

Japan Patent Office

Name and mailing address of the ISA/JP



International application No.

PCT/JP2004/013865

Box	No. I	Basis of the opinion	
1	With	egard to the language, this opinion has been established on the basis of the international application in the languag	e in
1.		it was filed, unless otherwise indicated under this item.	
		This opinion has been established on the basis of a translation from the original language into the following language. , which is the language of a translation furnished for the purposes of international search (un	ige der
		Rules 12.3 and 23.1(b)).	
2.	With t	egard to any nucleotide and/or amino acid sequence disclosed in the international application and necessary to I invention, this opinion has been established on the basis of:	the
	a. type	of material	ì
		a sequence listing	1
	F	table(s) related to the sequence listing	
	L		
	b. for	nat of material	
		in written format	İ
	L	in computer readable form	Ì
	c tim	of filing/furnishing	
	Г	contained in the international application as filed:	
	Ē	filed together with the international application in computer readable form.	
	Ē	furnished subsequently to this Authority for the purposes of search.	
3.		In addition, in the case that more than one version or copy of a sequence listing and/or table relating thereto has filed or furnished, the required statements that the information in the subsequent or additional copies is identical to	o that
		in the application as filed or does not go beyond the application as filed, as appropriate, were furnished.	
4.	Addi	ional comments:	
		\cdot	
		•	
		•	
		•	
1			



International application No.
PCT/JP2004/ 013865

citations and explanations supporting such statement				
1.	Statement		•	
	Novelty (N)	Claims Claims	1-28	YES NO
	Inventive step (IS)	Claims Claims	2,16 1,3-15,17-28	YES NO
	Industrial applicability (IA)	Claims	1-28	YES

Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability;

2. Citations and explanations

Box No. V

The following document has been considered for the purpose of this report:

D1 = JP 64-48457 U(RICOH COMPANY, LTD.)24.03.1989, Figs 1,2

Claims

D2 = JP 4-169440 A(RICOH COMPANY, LTD.)17.06.1992, Figs 1-3

D3 = JP 3-73541 U(RICOH COMPANY, LTD.)24.07.1991, Figs 1,2,4-6

D4 = JP 2002-193471 A(CANON COMPANY, LTD.)10.07.2002, paragraph 31,36, Figs

D5 = JP 5-306037 A(RICOH COMPANY, LTD.)19.11.1993, paragraph 47,48, Figs 4

D6 = JP 59-11838 U(FUJI ZEROX COMPANY, LTD.)25.01.1984, Figs 5-8

The subject matter of claim 1,3-15,17-28 does not involve an inventive step over D1,D2,D3,D4,D5 and D6.

The inventions disclosed in D1 and D2 or D3 share the problem in that deflection of the conveyance belt. The person skilled in the art would easily conceive the idea of applying the technical feature forming a bead on an inner side of belt employed in D2 or D3 to the invention disclosed in D1 to slove that problem compatibly.

The technical feature forming a groove on a surface of the drive roller is disclosed in D3(see Figs 1,2,4-6).

The technical feature that a coefficient of friction between an end of portion of the roller and the bead is set smaller than a coefficient of friction of a center portion of the rollar and the bead is disclosed in D4(see paragraph 36, Figs 7).

The skilled person in the art would easily conceive the idea of also in an unoperated state, making a non-tapered portion of the end surface to overlap a side surface of the bead.

The technical feature that an outer diameter of the second rotationnal member is within a range of +/- 1.0 mm of an outer diameter of the first rotational member is disclosed in D5(see paragraph 47,48, Figs 4).

The technical feature that a taper angle of the taper with respect to the end surface of the roller is set in a range from 10 degrees to 45 degrees is disclosed in D2(see Figs 1-3).

In D1, the axis of the driven roller can be inclined with respect to the axis of the drive roller.

The technical feature that a frictional force in the thrust direction between the driven roller support means and the diven roller is smaller than a frictional force of the driven roller and the conveyance belt is disclosed in D1.





Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: Box No.V

The technical feature that a coefficient of friction between the drive roller and the conveyance belt is greater than a coefficient of friction between the driven roller and the conveyance belt is disclosed in D4(see paragraph 32).

The technical feature comprising pressing means for pressing the conveyance belt to the drive roller is disclosed in D6(see Figs 5-8).

The technical feature applying for an image forming apparatus is disclosed in D2, D3.

The subject matter of claim 2,16 is neither disclosed in any of the documents nor obvious to a person skilled in the art.